

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3147	((702/57) or (702/58) or (702/64) or (702/71) or (702/90) or (702/117)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/06/08 22:34
L2	0	L1 and ((test\$6 with voltage\$1) same (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/06/08 22:34
L3	964	((702/118) or (702/119) or (702/123)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/06/08 22:35
L4	0	L3 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/06/08 22:35
L5	895	((702/185) or (702/193)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/06/08 22:35
L6	0	L5 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/06/08 22:35
L7	5901	(324/158.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/06/08 22:36
L8	4	L7 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/06/08 22:36

S1	6	((test\$6 with voltage \$1) same (quiescent near5 current)) and (compar\$6 with current with signature \$1) and fault\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/20 22:04
S2	4	S1 and program	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/20 21:56
S3	2770	((702/57) or (702/58) or (702/64) or (702/71) or (702/90) or (702/117)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/06/20 21:58
S4	857	((702/118) or (702/119) or (702/123)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/06/20 21:59
S5	2730	((702/182) or (702/183)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/06/20 22:01
S6	764	((702/185) or (702/193)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/06/20 22:01
S7	0	S3 and ((test\$6 with voltage\$1) same (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/20 22:02
S8	0	S3 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/20 22:03
S9	0	S4 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/21 21:43
S10	0	S5 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/20 22:03

S11	0	S6 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/20 22:06
S13	5645	(324/158.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/06/20 22:05
S14	5220	(324/765).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/06/20 22:05
S15	3	S13 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/21 21:43
S17	117	((test\$6 and (voltage \$1 with ramp\$6)) and (quiescent near5 current))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/21 14:24
S18	60	((test\$6 and (voltage \$1 near ramp\$6)) and (quiescent near5 current))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/21 17:33
S19	1	((test\$6 and (voltage \$1 with ramp\$6)) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/21 17:32
S20	1	((test\$6 and (voltage \$1 with ramp\$6)) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and defect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/21 17:32
S21	1	((test\$6 and (voltage \$1 with ramp\$6)) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fail \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/21 17:32

S22	223	((test\$6 and (voltage \$1 near (ramp\$6 or increas\$6))) and (quiescent near5 current)) and (defect \$6 or fail\$6 or fault\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/21 17:34
S23	2	("6714032").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/12/10 19:37
S24	1	S23 and (vector\$1 near5 voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 19:38
S25	2	("6714032").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/12/21 20:36
S26	5789	(324/158.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/12/21 20:46
S27	3	S26 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/21 20:48
S28	0	S27 and saturation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/21 20:48
S29	2	((test\$6 with voltage \$1) and (quiescent near5 current)) and (compar\$6 with current with signature \$1) and fault\$1 and (saturation near5 region\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/21 20:50
S30	226	power with linear with (saturation near5 region\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/21 20:54
S31	5	S30 and (test\$6 with threshol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/21 20:51
S32	19	power with linear with (saturation near5 region\$1) with (threshold\$1 or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/21 20:54

S33	915	((702/118) or (702/119) or (702/123)).OCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/12/21 21:42
S34	0	S33 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/21 21:42
S35	0	S33 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/21 21:43
S36	3	S26 and ((test\$6 with voltage\$1) and (quiescent near5 current)) and (compar \$6 with current with signature\$1) and fault \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/21 21:43

6/ 8/ 2008 10:42:20 PM

C:\Documents and Settings\mcharioui\My Documents\ EAST\ Workspaces\ 10561451.wsp